

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	422506	remov\$3 same (overlap\$4 or short or congest\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 09:40
L2	20	unrout\$3 adj (pin or connection)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 09:41
L3	233	hid\$4 and unhid\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 09:41
L4	1	1 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 09:42
L5	0	2 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 09:43
L6	1255	(716/12-14).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 09:43
S1	136	partition\$3 same net same critical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 10:31
S2	208	partition\$3 and net and critical and non-critical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 10:32

S3	20	route\$3 and rip-up and re-route\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 11:17
S4	0	S2 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 10:33
S5	756497	timing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 10:34
S6	411663	remov\$3 same (overlap\$4 or short)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 10:35
S7	31738	S5 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 10:35
S8	3	S3 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 10:36
S9	23	S2 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 11:16
S10	0	S8 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 10:36

S11	26	S2 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 11:16
S12	6332	rou\$3 and re-rou\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 11:17
S13	10	S2 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 11:22
S14	0	rou\$3 adj5 (unrouted adj pin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 11:22
S15	9	rou\$3 same (unrouted adj pin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 11:24
S16	8	S2 and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 11:24
S17	348	routing adj parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 10:10
S18	28	(routing adj parameter) same cost	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 10:17

S19	1291	routing adj resource	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 10:17
S20	0	S18 and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 10:17

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(rout\$3 and unrout\$3 and timing and partition\$3 and net and remov\$3 and overlap and rout\$3 and hid\$3 and unhid\$3).clm.	US-PGPUB; USPAT	OR	ON	2005/10/05 09:46